

**mscrm-addons.com**  
AutoMerge for MS CRM 2013

# AutoMerge for MS CRM 2013

---

Version 2013.2, October 2013

## **User Guide**

(How to use AutoMerge for MS CRM 2013)

The content of this document is subject to change without notice.

"Microsoft" and "Microsoft CRM" are registered trademarks of Microsoft Inc. All other product- and company names mentioned are trademarks of their respectful owners.

## Table of Contents

|         |   |    |
|---------|---|----|
| 1       | USER GUIDE .....  | 4  |
| 2       | INTRODUCTION .....  | 4  |
| 3       | USE OF THE AUTOMERGE FUNCTIONALITY .....                              | 5  |
| 3.1     | Workflow (on Premise).....  | 5  |
| 3.1.1   | CreateDocument .....  | 8  |
| 3.1.1.1 | DebugThisRequest.....   | 9  |
| 3.1.1.2 | TemplateToExecute .....   | 9  |
| 3.1.1.3 | SaveAs.....   | 9  |
| 3.1.1.4 | PrintTo .....   | 9  |
| 3.1.1.5 | SaveOnlyIntoTemp .....  | 9  |
| 3.1.2   | AttachToEmail .....   | 10 |
| 3.1.2.1 | DebugThisRequest.....   | 11 |
| 3.1.2.2 | EmailToAttach.....  | 11 |
| 3.1.2.3 | DocumentGUID.....   | 11 |
| 3.1.3   | AttachToLetter .....  | 12 |
| 3.1.3.1 | DebugThisRequest.....   | 13 |
| 3.1.3.2 | LetterToAttach.....   | 13 |
| 3.1.3.3 | DocumentGUID.....   | 13 |
| 3.1.4   | DeleteTempDocument.....   | 13 |
| 3.1.4.1 | DebugThisRequest.....   | 14 |
| 3.1.4.2 | DocumentGUID.....   | 14 |
| 3.1.5   | SendEmail .....   | 15 |
| 3.1.5.1 | DebugThisRequest.....   | 16 |
| 3.1.5.2 | EmailToSend.....  | 16 |
| 3.2     | Workflow (CRM Online).....  | 16 |
| 3.3     | Dialog.....   | 33 |
| 4       | TEMPORARY DOCUMENT.....   | 36 |
| 5       | DCP CLIENT / TEMPLATES .....  | 38 |
| 6       | HOW TO FILTER LINKED ENTITIES DURING THE MERGE PROCESS .....          | 39 |
| 7       | HOW TO PRINT DOCUMENTS WITH AUTOMERGE .....                           | 42 |
| 7.1     | How to install and add a printer before using it with AutoMerge ..... | 42 |
| 7.2     | Specific settings for plug-in based printing (deprecated).....        | 43 |
| 7.3     | Service-based printing with AutoMerge.....                            | 45 |
| 7.3.1   | Create and configure a service for printing documents .....           | 45 |

---

- 7.3.1.1 AutoMerge Printer Tab Overview ..... 51
- 7.3.1.2 Local Printer Configuration ..... 52
- 7.3.1.3 Google CloudPrint Configuration ..... 53
- 7.3.1.4 Printer Configuration Details and Printer Capabilities ..... 54
- 7.3.1.5 Troubleshooting ..... 57
- 7.3.2 How to add a service-based printing step to a workflow or dialog ..... 59
  
- 8 EXAMPLES ..... 66
  
- 8.1 Scenario 1: Workflow ..... 66
  
- 8.2 Scenario 2: Dialog ..... 76
  - 8.2.1 Part 1: User Interaction ..... 77
  - 8.2.2 Part 2: AutoMerge steps ..... 81
    - 8.2.2.1 Part 2.1: Generate and print ..... 81
    - 8.2.2.2 Part 2.2: Generate only ..... 84
    - 8.2.2.3 Part 2.3: Attach to Email ..... 85
    - 8.2.2.4 Part 2.4: Attach to Letter ..... 87
  - 8.2.3 Result Dialog ..... 89
  - 8.2.4 Test Dialog ..... 90
  
- 9 HOW TO ACTIVATE DEBUGGING FOR AUTOMERGE ..... 95
  
- 10 CONTACT ..... 97

---

## 1 User Guide

This guide gives detailed explanations of all functionalities provided by **AutoMerge for MS CRM 2013**.

If you need to reach us, see the Contact page.

## 2 Introduction

AutoMerge provides the possibility to create and print documents automatically triggered from a workflow or dialog. After the document is created, it can be attached to emails and letters as well.

Main Features:

- **CreateDocument**  
Enables the creation of Word-documents with data from MS CRM. It's capable to resolve any relations and works with custom entities as well as with standard CRM entities. Therefore, AutoMerge provides the opportunity to automatically create e.g. quotes, invoices, etc. including data from related records like "other contacts", accounts, products, etc.
- **Attach to Email/Letter**  
With this functionality the generated document can be attached to emails and letters.
- **PrintOut**  
AutoMerge also provides the possibility to print out the created document.
- **DeleteDocument**  
Delete an existing document from the "MSCRM-ADDONS.com User/Temp Settings" entity.
- **SendEmail**  
Gives you the ability to send an existing email.

This documentation aims to describe the main settings, including step-by-step descriptions about how to use all benefits provided by AutoMerge.

### 3 Use of the AutoMerge functionality



For using the AutoMerge functionality, there is no client software necessary. It can be accessed directly within CRM from workflows and dialogs. The following descriptions show where the AutoMerge functionality can be found and which requests are available.

**There are two possibilities to set up AutoMerge (On-Premise or CRM Online). While AutoMerge On-Premise works as a Plugin in CRM, AutoMerge for CRM Online needs a service (see AutoMerge Installation Guide for MS CRM 2013).**

To create workflows for On-Premise read [chapter 3.1](#) and for CRM online [chapter 3.2](#) of this user guide.

#### 3.1 Workflow (on Premise)


This section shows how the AutoMerge functionality can be used when starting from a workflow (this works only for On-Premise version). Open Settings -> Processes within CRM. See next screenshots:

The screenshot shows the 'My Processes' list in the CRM interface. The table contains the following data:


| Process Name                               | Category | Primary Entity                     | Status    | Created On      | Modified On     |
|--|----------|------------------------------------|-----------|-----------------|-----------------|
| Contact_Lookup_Test                        | Dialog   | Contact                            | Activated | 31.Jän.13 11:33 | 31.Jän.13 12:12 |
| Create Account Overview                    | Workflow | Account                            | Draft     | 13.Mär.12 15:42 | 31.Mai.13 17:28 |
| CTI SyncWorkflow                           | Workflow | MSCRM-ADDONS.com CTI Call Histo... | Activated | 02.Jul.13 13:28 | 04.Jul.13 08:39 |
| Ferrari Test                               | Workflow | Campaign Activity                  | Draft     | 29.Mär.13 13:09 | 26.Sep.13 11:45 |
| Merge Document                             | Workflow | Account                            | Activated | 05.Jul.13 14:00 | 26.Sep.13 14:37 |
| Order Test                                 | Workflow | Order                              | Activated | 04.Apr.13 08:36 | 04.Apr.13 08:39 |
| PrintAccountOverview with Printerselection | Dialog   | Account                            | Activated | 02.Jul.13 12:27 | 02.Jul.13 12:27 |
| Quote with Save as                         | Workflow | Quote                              | Draft     | 14.Feb.13 12:51 | 29.Okt.13 09:29 |
| Sent to Caller                             | Workflow | Phone Call                         | Activated | 05.Jul.13 14:05 | 05.Jul.13 14:10 |
| test                                       | Workflow | Account                            | Draft     | 13.Aug.13 11:24 | 13.Aug.13 11:24 |
| Token                                      | Dialog   | Account                            | Draft     | 10.Jul.13 10:58 | 10.Jul.13 10:58 |

Hit [New] to create a process.




Type in a name for the new process, define the starting entity and select "Workflow" in the drop down box. For starting with a new workflow, select "New blank process". Hit [OK] to proceed. See Screenshot above.

Then, the standard workflow configuration window will appear.



Use it to create your own workflow. If you would like to use the AutoMerge functionality, go to “Add Step” -> “AutoMergeWF”. See next screenshot:




Here you can see all five available AutoMerge steps. The handling of these is like the handling of standard workflow steps:

- AttachToEmail
- AttachToLetter
- CreateDocument
- DeleteTempDocument
- SendEmail


### 3.1.1 CreateDocument

Select this option to create a new document based on a template.



First, give your new step a meaningful name. Then hit [Set Properties] to define the settings.

See next screenshot:



The "CreateDocument" functionality provides the following properties:

#### 3.1.1.1 *DebugThisRequest*

If this box is set to "True" the AutoMerge Plugin will write debug information while the creation of the template. This is only required if this part of the process doesn't work correctly. Due to the fact that it will slow down the whole process, we recommend setting it to "False" in normal cases.

#### 3.1.1.2 *TemplateToExecute*

Use this lookup-field to select a template. It will be the base of your generated document. You have the choice between all templates stored in the "DocumentsCorePack Templates" entity in CRM. Please note that the selected template must be compatible with the entity of this workflow. That means if you create for example a workflow for the entity "contact", the starting entity of the selected template has to be "contact" as well. Please also keep in mind that **only ".docx" templates will work** with AutoMerge.

#### 3.1.1.3 *SaveAs*

Here you have the possibility to define the data type of the created document. The following file extensions are available. The left column shows the text you have to type in and the left one the file extension of the result document.

| You have to type in | File extension |
|---------------------|----------------|
| text                | .txt           |
| png                 | .png           |
| jpeg                | .jpg           |
| html                | .html          |
| epub                | .epub          |
| doc                 | .doc           |
| docx                | .docx          |
| bmp                 | .bmp           |
| pdf                 | .pdf           |

If you leave this field empty, ".docx" will be taken as default type.

#### 3.1.1.4 *PrintTo*

This field gives you the possibility to define the path of a network printer. If AutoMerge can find an available printer by following this path, the document will be printed out after the creation.


#### 3.1.1.5 *SaveOnlyIntoTemp*

If this option box is set to "True" the generated document will only be stored in the "MSCRM-ADDONS.com User/Temp Settings" of CRM. If it is set to "False" the document will be stored in a file share or SharePoint additionally, depending on the adjustment of the DocumentsCorePack Server.

### 3.1.2 AttachToEmail


Select this option to attach a created document to an existing email. This step is often used in combination with the “SendEmail”-step described later.

**Important:** If the file type of the generated document you want to be attached is “html”, its content will be copied into the email body. If it is any other file type, the generated document will be added as attachment to the email.



First, give your new step a meaningful name.

Then hit [Set Properties] to define the settings:



The "AttachToEmail" functionality provides the following properties:

#### 3.1.2.1 *DebugThisRequest*

If this box is set to "True" the AutoMerge Plugin will write debug information while executing this request. This is only required if this part of the process doesn't work correctly. Due to the fact that it will slow down the whole process, we recommend setting it to "False" in normal cases.

#### 3.1.2.2 *EmailToAttach*


This lookup can be used to define the email to which the created document should be attached. You have the possibility to select an existing email, but you can also refer to one in this workflow earlier created email as well.

#### 3.1.2.3 *DocumentGUID*


This lookup provides the possibility to select the document which should be attached. The handling of this property is similar to the above one. You can select an existing document by clicking on the lookup button and you can also use a document created in this workflow before.

### 3.1.3 AttachToLetter

Select this option to attach a created document to an existing letter.



First, give your new step a meaningful name.  
Then hit [Set Properties] to define the settings:



The "AttachToLetter" functionality provides the following properties:

### 3.1.3.1 DebugThisRequest

If this box is set to "True" the AutoMerge Plugin will write debug information while executing this request. This is only required if this part of the process doesn't work correctly. Due to the fact that it will slow down the whole process, we recommend setting it to "False" in normal cases.

### 3.1.3.2 LetterToAttach


This lookup can be used to define the letter to which the created document should be attached. You have the possibility to select an existing letter, but you can refer to one in this workflow earlier created letter as well.

### 3.1.3.3 DocumentGUID

This lookup provides the possibility to select the document which should be attached. The handling of this property is similar to the above one. You can select an existing document by clicking on the lookup button and you can also use a document created in this workflow before.


## 3.1.4 DeleteTempDocument

Select this option to delete an existing document from the "MSCRM-ADDONS.com User/Temp Settings" entity.



First, give your new step a meaningful name.  
Then hit [Set Properties] to define the settings:

See next screenshot:



The "DeleteTempDocument" functionality provides the following properties:

#### 3.1.4.1 *DebugThisRequest*

If this box is set to "True" the AutoMerge Plugin will write debug information while executing this request. This is only required if this part of the process doesn't work correctly. Due to the fact that it will slow down the whole process, we recommend setting it to "False" in normal cases.


#### 3.1.4.2 *DocumentGUID*

This lookup provides the possibility to select the document which should be removed.


You can select an existing document by clicking on the lookup button and you can also use a document created in this workflow before.

### 3.1.5 SendEmail

Use this step to send an existing email.



First, give your new step a meaningful name. Then hit [Set Properties] to define the settings.



The "SendEmail" functionality provides the following properties:

### 3.1.5.1 DebugThisRequest



If this box is set to "True" the AutoMerge Plugin will write debug information while executing this request. This is only required if this part of the process doesn't work correctly. Due to the fact that it will slow down the whole process, we recommend setting it to "False" in normal cases.

### 3.1.5.2 EmailToSend

This lookup field can be used to define the email which should be sent. You have the possibility to select an existing email, but you can refer to one in this workflow earlier created email by using the "Form Assistant" as well.

## 3.2 Workflow (CRM Online)


First of all, start in the settings of your CRM system and click on 'Processes' in the ribbon. See next screenshots:


This screenshot shows the 'My Processes' list in the CRM Admin Istrator. The list contains the following data:

| Process Name                               | Category | Primary Entity                     | Status    | Created On      | Modified On     |
|--|----------|------------------------------------|-----------|-----------------|-----------------|
| Contact_lookup_Test                        | Dialog   | Contact                            | Activated | 31.Jän.13 11:33 | 31.Jän.13 12:12 |
| Create Account Overview                    | Workflow | Account                            | Draft     | 13.Mär.12 15:42 | 31.Mai.13 17:28 |
| CTI SyncWorkflow                           | Workflow | MSCRM-ADDONS.com CTI Call Histo... | Activated | 02.Jul.13 13:28 | 04.Jul.13 08:39 |
| Ferrari Test                               | Workflow | Campaign Activity                  | Draft     | 29.Mär.13 13:09 | 26.Sep.13 11:45 |
| Merge Document                             | Workflow | Account                            | Activated | 05.Jul.13 14:00 | 26.Sep.13 14:37 |
| Order Test                                 | Workflow | Order                              | Activated | 04.Apr.13 08:36 | 04.Apr.13 08:39 |
| PrintAccountOverview with Printerselection | Dialog   | Account                            | Activated | 02.Jul.13 12:27 | 02.Jul.13 12:27 |
| Quote with Save as                         | Workflow | Quote                              | Draft     | 14.Feb.13 12:51 | 29.Oct.13 09:29 |
| Sent to Caller                             | Workflow | Phone Call                         | Activated | 05.Jul.13 14:05 | 05.Jul.13 14:10 |
| test                                       | Workflow | Account                            | Draft     | 13.Aug.13 11:24 | 13.Aug.13 11:24 |
| Token                                      | Dialog   | Account                            | Draft     | 10.Jul.13 10:58 | 10.Jul.13 10:58 |


Then click on 'New' to create a new workflow. A webpage dialog pops up (see next screenshot). Type in a name, determine an entity and choose 'Workflow' as the process category. Afterwards, click on 'OK'.




After clicking on 'OK', you will see the following window. Start to define and add the steps you would like to have in your workflow. If you would like to e.g. create the document as a first step of your workflow, click on the 'Add Step'-drop-down menu and select 'Create Record'. (See screenshot below)



Now, the first step is added to your workflow. Type in a description of the step, e.g. create document. Afterwards, open the drop-down menu within this first step, select 'MSCRM-ADDONS.com AutoMergeWorkingItems' and click on 'Set Properties'. (See next screenshot)





The following window will open to configure the first step of your workflow. (See screenshot below) Type in a name and define the AutoMerge-action. In our example, we select the action 'CreateDocument'.




After that, choose the template to be used within the workflow (see next screenshot ellipse 1) and the file format the document should be saved as (see next screenshot ellipse 2).

Furthermore, it is very important to insert the 'PrimaryRecordUrl'. For that, set the cursor in the 'PrimaryRecordUrl'-field and go to the 'Look for'-area within the form assistant on the right side. Select 'Record URL(Dynamics)' from the second drop-down-menu (see next screenshot, ellipse 3 and 4), click on 'Add' and then on 'OK'. After that, the 'PrimaryRecordUrl'-field is filled out automatically. (See bottom screenshot, coloured in yellow) Click 'Save and Close'.




The first step of your workflow is now added and fully configured. In case you want to stop your workflow at this point, you can click on 'Save and Close' and finish here. In case you want to add further steps to your workflow, define a condition to be fulfilled before adding further steps.

For example, if you want to create a letter-activity with the previously generated document as an attachment, you need to make sure that the document creation is completed before attaching the document to the letter activity. To do so, open the 'Add-Step' drop-down menu again and select 'Wait Condition'. (See screenshot below)





The step is added to the workflow. Type in a step description and click on '<condition> (click to configure)'. (See screenshot below)




After that, a window pops up. In this window, you can define the condition to be fulfilled for workflow proceeding. In our case, we select 'Create document (MSCRM-ADDONS.com AutoMergeWorkingItems)' from the first drop-down menu, 'Status' from the second drop-down menu, 'Equals' from the third drop-down menu and 'Inactive' from the fourth drop-down menu. (See next screenshots).


Click on save and close. Now, you have determined that step 2 of your workflow (in our example to attach the created document to a letter-activity) will only be executed if the first step, namely the document generation, has finished successfully.




Afterwards, your workflow configuration will look like in the following screenshot:



To add another step, e.g. to create a letter-activity, click on 'Select this row and click Add Step' (see screenshot ellipse 1) and afterwards on 'Add Step'. (See screenshot, ellipse 2)




Then, select 'Create Record' from the drop-down menu. The new step is now added to your workflow and ready for configuration. Type in a step description (e.g. Attach document to letter), open the drop-down menu within this second step and select 'Letter'. (See next screenshot)




Afterwards, click on 'Set Properties' and a letter-activity-window will open. (See screenshot below) Within this window, define a sender, a subject and type in your letter-text. Then, set the cursor in the 'Recipient'-field to define the recipient.


To do so, go to the 'Look for'-area within the form assistant on the right side. Select 'Account' in both drop-down-menus, click on 'Add' and then on 'OK'. Now the 'Recipient'-field is filled out correctly (see screenshot below, colored in yellow).




Click on 'Save and Close'. Now you are back in the general workflow-window again and you can see the added and completely configured letter-activity. In a next step, you have to define that the previously created document should be added to this letter-activity. For that, click on 'Add Step' and select 'Create Record' from the drop-down menu. (See next screenshot)



Type in a step description and open the drop-down menu within this step. Select 'MSCRM-ADDONS.com AutoMergeWorkingItems'. (See screenshot below). Then click on 'Set Properties'.




A window will pop up to configure the 'AttachToLetter'-workflow-step. Put a name and define the AutoMerge action (in this example choose 'AttachToLetter', see screenshot, ellipse 1) Within the 'Attach to Letter'-section, determine the letter-activity to which the created document should be attached to (see screenshot 'LetterToAttach'-field, ellipse 2) and the document which should be attached (see screenshot 'DocumentGUID\_Letter'-field, ellipse 2).





The screenshot shows a configuration window for a workflow step. The 'Name' field is set to 'AttachtoLetter' (marked with ellipse 1). The 'AutoMergeAction' is also 'AttachToLetter'. In the 'Attach To Letter' section, the 'LetterToAttach' and 'DocumentGUID\_Le...' fields are highlighted with ellipse 2. A 'Form Assistant' panel is visible on the right side.

For determining the letter-activity the document should be attached to, set the cursor in the 'LetterToAttach'-field in the 'Attach To Letter'-area (see screenshot, ellipse 1) and select the correct letter-activity from the drop-down menu in the 'Look For'-area within the form assistant on the right side. (See screenshot, ellipse 2). After that, click on 'Add' and 'OK'.



To determine the document to be attached, set the cursor in the 'DocumentGUID\_Letter'-field (see screenshot, ellipse 1) and select the correct document from the drop-down box in the 'Look For'-area within the form assistant on the right side. (See screenshot, ellipse 2) Click on 'Add' and 'OK'.





MSCRM-ADDONS.com AutoMergeWorkingItems: New MSCRM-ADDONS.com AutoMergeWorkingItems - ...

File Save and Close

Process: Test\_Workflow  
Create MSCRM-ADDONS.com AutoMergeWorkingItems

General

Name \* AttachToLetter Owner

AutoMergeAction \* AttachToLetter PrimaryRecordUrl

Create Document

TemplateToExecute SaveAs

CreatedDocument SaveOnlyIntoTemp  No  Yes

Attach To Letter

LetterToAttach {Letter(Attach document to letter (Letter))}

DocumentGUID\_Le... {CreatedDocument(create document (MSCRM-ADDONS.com))}

Attach To Email

EmailToAttach

DocumentGUID\_E...

Send Email

EmailToSend

Print Document

Printer PrintTo PDF (deprecated) PrintTo XPS (deprecated)

Delete Temp Document

DocumentGUID\_D... Delete Temp for CreateDocument-step  No  Yes

Return Value

ReturnValue

Form Assistant

Dynamic Values

Dynamic Values

Operator: Set to

Look for: create document (MSCRM-ADDONS.com)

CreatedDocument: CreatedDocument

Add

CreatedDocument(create document (MSCRM-ADDONS.com))

Default values


OK

http://crm2013srv1:5555/Standard/SFA/Workflow/entityform.aspx?entityFullNam Trusted sites | Protected Mode: Off

You have now completed the configuration of this step. Click on save and close. In case you want to stop your workflow at this point, you can click on 'save and close' within the general workflow-configuration-window and finish here.


In case you want to add further steps to your workflow, you have to define a condition to be fulfilled before you add further workflow-steps. In that case, open the 'Add-Step' drop-down menu again and select 'Wait Condition'. Click on '<condition> (click to configure)' and a window will pop up.

In this window, define which condition has to be fulfilled for further workflow proceeding. In our example, we want the workflow to proceed when the created document has been attached to the letter-activity. In our case, we select 'Attach document to letter step 2 (MSCRM-ADDONS.com AutoMergeWorkingItems)' from the first drop-down menu, 'Status' from the second drop-down menu, 'Equals' from the third drop-down menu and 'Inactive' from the fourth drop-down menu. (See next screenshots). Click 'Save and Close'.




Now you can add another workflow-step. In our example, we want the document to be deleted after it has been attached to the letter-activity. To do so, click on 'Select this row and click' and open the 'Add Step'-drop-down menu. Select 'Create Record'. Afterwards, type in a step-description, choose 'MSCRM-ADDONS.com AutoMergeWorkingItems' from the drop-down box within the step and click on 'Set Properties'.

A window will pop up in which you can determine that the created document should be deleted after it has been attached to the letter-activity. For that, put a name and an AutoMerge activity (in our example 'DeleteTempDocument'). Afterwards, click in the 'DocumentGUID\_Delete'-field within the 'Delete Temp Document'-area (see screenshot, ellipse 1) and select the document to be deleted from the drop-down box in the 'Look For'-area within the form assistant. (See screenshot, ellipse 2)




Click on 'Save and Close'. After that, you have finished your workflow configuration and you can click on 'Save and Close'.



### 3.3 Dialog

From a dialog you can use the same AutoMerge steps as from a workflow. This chapter shows how you can access these functionalities.

Within CRM open Settings -> Processes




The screenshot displays the 'My Processes' page in the Microsoft CRM Admin Center. The page title is 'My Processes' and it includes a search bar for records. The main content is a table listing various processes. The 'New' button is highlighted in the top left corner of the table area.

| Process Name                               | Category | Primary Entity                     | Status    | Created   |
|--|----------|------------------------------------|-----------|-----------|
| Contact_lookup_Test                        | Dialog   | Contact                            | Activated | 31.Jän.13 |
| Create Account Overview                    | Workflow | Account                            | Draft     | 13.Mär.12 |
| CreateAndAttachQuote                       | Workflow | Contact                            | Draft     | 29.Okt.13 |
| CTI SyncWorkflow                           | Workflow | MSCRM-ADDONS.com CTI Call Histo... | Activated | 02.Jul.13 |
| Ferrari Test                               | Workflow | Campaign Activity                  | Draft     | 29.Mär.13 |
| Merge Document                             | Workflow | Account                            | Activated | 05.Jul.13 |
| Order Test                                 | Workflow | Order                              | Activated | 04.Apr.13 |
| PrintAccountOverview with Printerselection | Dialog   | Account                            | Activated | 02.Jul.13 |
| Quote with Save as                         | Workflow | Quote                              | Draft     | 14.Feb.13 |
| Sent to Caller                             | Workflow | Phone Call                         | Activated | 05.Jul.13 |
| test                                       | Workflow | Account                            | Draft     | 13.Aug.13 |
| Test_Workflow                              | Workflow | Account                            | Draft     | 29.Okt.13 |
| Test_Workflow                              | Workflow | Account                            | Draft     | 29.Okt.13 |
| Test_Workflow                              | Workflow | Account                            | Draft     | 29.Okt.13 |
| Token                                      | Dialog   | Account                            | Draft     | 10.Jul.13 |

The next step is to create a new dialog. This works nearly the same way as creating a new workflow.

Click [New] as shown in the screenshot above.

Thereupon the following window will appear:



**Create Process**  
Define a new process, or create one from an existing template. You can create four kinds of processes: business process flows, actions, dialogs, and workflows.

Process name: \* AttachLetterToLead

Category: \* Dialog Entity: \*

Type:  New blank process  
 New process from an existing template (select from list):

| Template Name ↑   | Primary Entity | Owner |
|---|----------------|-------|
| No process template records are available in this view. |                |       |


0 - 0 of 0 (0 selected) Page 1

Properties

OK Cancel

http://crm2013srv1:5555/Standar... Trusted sites | Protected Mode: Off

Type in a name of the new dialog, define the starting entity and select "Dialog" in the drop down box. To start with a new dialog, select "New blank process". Hit [OK] to proceed. Then the dialog configuration window will appear.



Here you can see that the AutoMerge add-in provides the same steps for dialogs.

Due to the fact that these work totally the same way as for workflows, they aren't described once again in this section. Please see chapter: [3.1.1 CreateDocument](#) downwards for more information regarding the steps.

## 4 Temporary Document

Every time when you create a new document by using the "CreateDocument" step it will be stored in the "MSCRM-ADDONS.com User/Temp Settings".


The normal way is to save it on the SharePoint as well or attached it to an activity and to delete it at the end of the process by using "DeleteTempDocument" step.

But especially for developing your process it could be very helpful not to delete it automatically (e.g. if you want to continue working with this temp document). How this can be done is described underneath:


Within CRM hit [Advanced Find] in the Ribbon.




Then the following window will open:



In the „Look for“ box select the „MSCRM-ADDONS.com User/Temp Settings“ entity. To receive all stored settings only hit [Results]. See next screenshot:



To ensure that every record name is unique, AutoMerge stores them by using the following structure: "AM\_Doc\_" + a new Guid. If you want to have a look at the generated document directly, double click on the record and navigate to the "Notes"-section.



There you can see the generated document attached. Its name is taken from the "Document Name"-setting of the template. If the name is not defined, the default structure ("AM\_Doc\_" + a new Guid) will be taken. In this example the generated document is of the type ".pdf". This was defined in the "SaveAs" property of the "CreateDocument"-step.

To open the document click on it and your web browser will provide you different ways to achieve this.

---

## 5 DCP Client / Templates

For generating documents using AutoMerge you need **.docx templates** as a base.

This section is dealing with templates. It describes what the necessary steps to create them.

To be able to create or modify templates the DocumentsCorePack Client is required. It can be downloaded from our website by using the following link: [DocumentsCorePack](#).

Before you install the DCP Client we recommend reading the "Install Guide", especially chapter 7 "Installing the client component". The whole guide can be found here: [Installing DocumentsCorePack](#).

At this point, the foundation stone for working with templates is laid. The following link will direct you to the DocumentsCorePack User Guide. Chapter 3 "DocumentsCorePack Templates" will walk you through the steps for creating templates.

**Please keep in mind that only .docx (Office Open XML) templates are compatible with AutoMerge.**

Here is the link to the user guide: [DocumentsCorePack User Guide](#)

## 6 How to filter linked entities during the merge process

It is possible to filter the linked entities of a 1:N and a N:N relationship during the merge process based on their IDs. This works in combination with DocumentsCorePack and AutoMerge but only with "docx"-templates.

To achieve this, you have to create a new record of the "MSCRM-ADDONS.com User/Temp Settings" entity containing a filter.

### Name

Use the "Name"-field to define for which user, entity type and record ID the filter should be used.

- **Structure:** AMPreFilter|<<ID of the user who should use the filter>>|<<the logical name of the starting entity of the template>>|<<ID of the record (of template starting entity) for which the filter should be used>>|<<logical name of the linked entity which should be filtered>>|
- **Example:** AMPreFilter{|DC9B80F8-C781-46D8-9FD6-A3B610836975}|account{|7b069E5412-84F6-E111-977B-00155DC8AE09}|contact|

### Value

Use the "Value"-field to define the IDs of the linked records which should be shown in the template.

- **Structure:**  

```
<filter>
  <entity> <<logical name of the linked entity which should be filtered>> </entity>
  <values>
    <value> <<ID of linked record which should be shown>> </value>
    <value> <<ID of linked record which should be shown>> </value>
    .....
  </values>
</filter>
```
- **Example:**  


```
<filter>
  <entity>contact</entity>
  <values>
    <value>{12E5214A-88BF-E111-A7C1-00155DC8AE09}</value>
    <value>{12E5214A-88BF-E111-A7C1-00155DC8AE09}</value>
  </values>
</filter>
```

**Important: The IDs must be in upper case and must contain brackets.**

During each merge process of "docx"-templates, the DocumentsCorePack Client or the AutoMerge add-on looks for a suitable filter. If such a filter is found, only linked records with a matching ID will be shown. The filter gets deleted afterwards. Otherwise, the usual merge process remains unchanged.

### Example

Here you can see an account named "ptm EDV-Systeme". It has several related contacts.



The screenshot displays the Microsoft CRM interface for an account named "MSCRM-ADDONS.com". The account details include:

- Annual Revenue:** --
- No. of Employees:** --
- Owner:** Michael Dohr

The primary contact is **Christian Ternek**, with email [christian.ternek@gmail.com](mailto:christian.ternek@gmail.com) and business phone [cternek](tel:cternek).


**CONTACTS**

| Full Name ↑      | Email                     |
|------------------|---------------------------|
| Andreas List     | andreas.list@mscrm-ad...  |
| Christian Ternek | christian.ternek@gmail... |
| Josef Ternek     | josef.ternek@mscrm-ad...  |
| Martin Wilhelmer | martin.wilhelmer@ptm-...  |
| Michael Dohr     | michael.dohr@ptm-edv...   |

**RECENT OPPORTUNITIES**

| Topic                       | Status ↑ | Actual Close Da... | Actual Revenue... | Est. Close Date ↑ | Est. Rev |
|-----------------------------|----------|--------------------|-------------------|-------------------|----------|
| 44 High end road bikes      | Open     | 21.10.2009         |                   | 25.03.2010        | € 8:     |
| Will be ordering about...   | Open     | 21.10.2009         |                   | 05.12.2009        | € 27:    |
| Looks good for 50 Tour...   | Open     | 21.10.2009         |                   | 05.11.2009        | € 10f    |
| Looks good for 13 Roa...    | Open     | 21.10.2009         |                   | 25.10.2009        | € 24     |
| They sell both touring f... | Open     | 21.10.2009         | € 22.036,71       | 25.10.2009        | € 2!     |

By using the following filter, only contacts which match the GUIDs in the filter will be shown in the result document. The defined user-GUID and the user running must match as well.



## 7 How to print documents with AutoMerge

This chapter explains how to print documents with AutoMerge. It deals with the prerequisites, namely to install and add a printer before using it with AutoMerge, the specific settings for plug-in-based printing and the procedure of service-based printing.

### 7.1 How to install and add a printer before using it with AutoMerge

With AutoMerge for MS Dynamics CRM 2013 On-Premise/Online, you are able to print the dynamically generated document automatically to a specific printer.


Before you can start to use this functionality, there are several things to do. Because AutoMerge runs as service with a service user, you have to install the printer as described in the steps below to ensure that the service user has access.

#### How to install a printer which is visible for services:


Go to the Control Panel -> Devices and Printers

Click on "Add a printer"

It is very important to select "Add a local printer" (see screenshot below)



Step through the rest of the wizard and create a new port. Type in a simple name for the printer, without using spaces. This makes it easier for you to retype the printer name in the different workflows of AutoMerge. (See screenshot below)



At the end, please try to print a test-page to see if it is working correctly.

## 7.2 Specific settings for plug-in based printing (deprecated)

With AutoMerge for Microsoft Dynamics CRM 2013 On-Premise/Online, you are able to print the dynamically generated document automatically to a specific printer. Sometimes, the printer settings regarding trays, duplex, size, etc. are not applied if you define them using a specific user account, because the service runs under different user accounts. In order to avoid this, AutoMerge offers you the possibility to define specific printing options in the workflow itself.

The table below lists all special settings which you can define for the printer in the workflow. To make use of them, you just have to add the options you need when entering the printer name in the workflow-configuration. Of course you can also combine settings, like in the following example:

```
HP2025|copycount=2|tray=3
```

**NOTE:** The settings listed below are valid for plug-in based printing processes only.

| <b>AVAILABLE SETTINGS FOR PLUG-IN BASED PRINTING PROCESSES WITH AUTOMERGE</b> |  |   |
|---|--|---|
| Name  | Possible values  | Description   |
| mediasize   | a3<br>a3rotated<br>a4<br>a4rotated<br>a5<br>a5rotated<br>a6<br>a6rotated | If you have a specific mediasize you can use this setting.<br>eg.:<br>HP2025 mediasize=a4   |
| copycount   | 1-999  | Define how many copies you want to have.<br>eg.:<br>HP2025 copycount=4  |
| duplex  | onsided<br>twosidedlongedge<br>twosidedshortedge                         | For printers which are able to print twosided you can use this option.  |
| outputcolor   | grayscale<br>color<br>monochrome   | Define the color using this setting.  |
| tray  | 1-99   | Each tray has a number and the first tray is normally auto select.<br><br>In most cases, you have to try the different numbers to find out which number refers to which tray.<br><br>e.g.:<br><br>HP2025 tray=2 |

## 7.3 Service-based printing with AutoMerge

AutoMerge now offers a service-based printing option which is available additionally to the already known plugin-based printing-option. The additional option is available within AutoMerge for MS Dynamics CRM 2011 v5.30 and higher and is based on a service which is running in the background.

This sub-chapter covers the following essential topics:

- Creation of a service for printing documents
- Adding the service-based printing step to a workflow or dialog
- Exception 1: Adding the service-based printing step to already existing workflows
- Exception 2: Adding the service-based printing step to workflows including a 'Delete Document'-step

Before you continue reading, please make sure that you installed AutoMerge v5.30 or higher. After that, please proceed as described in the sections below.

**NOTE:** If you already run a service for printing documents (as this is quite usual when using AutoMerge with CRM Online), you can skip the first section of this article and can continue reading in the 'How to add the service-based printing step to a workflow'-section further down.

### 7.3.1 Create and configure a service for printing documents

There is a complete new Printing Solution in place since version 5.38. AutoMerge Printing-Feature provides the possibility to create and manage Printer Configurations for:


- starting **local print jobs** via **AutoMerge Local Printer Configuration**  
supported format:
  - *.pdf*
- starting **global print jobs** over internet via **Google CloudPrint Configuration**  
supported formats:
  - *.docx*
  - *.pdf*
  - *.html*
  - *.jpg*
  - *.bmp*

#### **General introduction:**


This chapter will give you detailed information about how to create and configure a service for printing documents using AutoMerge for MS Dynamics CRM 2013

Before you are able to add the service-based printing to a workflow, you need to configure and start a service. To do so, please follow the steps below:


1. Start the AutoMerge ServiceManagement from within the Windows start menu:




2. Here you can create a new service or choose an existing one. If you want to create a new service, type in a name of the service and click on the green tick (see next screenshot).



3. After that, you have to define which type of jobs the service should work on. Select 'only printjobs'. Furthermore, you have the possibility to set a filter for the printer to be used. Setting this filter is essential e.g. in the following case: If you have offices in Austria and the US, you can type in the name of the printer located at your site (e.g. at your Austrian office) in order to avoid that your documents are printed by the printer located at the other site (e.g. at your American office). See next screenshot:




4. Then, switch to the 'CRM Connection Setup'-tab and type in the CRM Server-URL. After that, click on 'Save service configuration'. See next screenshot:




In case the following message box is popping up, click on 'OK'. (See screenshot below)



Within the "CRM Connection Setup"-tap you can verify the "Advanced Options". (See next screenshot).



This action will open following dialog:



**Logon information**

Welcome to your CRM Connection setup.  
Please specify your connection details to connect to CRM. If you do not know the connection details, please contact your system administrator

CRM Connection | **Advanced Settings** | Log

Existing Profiles: [HKLM] AutoMergeService - Standard [Manage]

Select your Crm Type:  
 Standard (onPremise)  IFD (Hosted)  Crm Online

CRM Server-Url:  
http:// crm2013srv1:5555/Standard

Authenticated as:  
 Use default Credential **Integrated Security (PTM-EDV\Administrator)**  
Username: \_\_\_\_\_ Domain: \_\_\_\_\_ Password: \_\_\_\_\_


[Retrieve all Organizations]

Organization information:

| Friendly name | Unique name | ServiceURL |
|---------------|-------------|------------|
| alist         | alist       | alist      |
| pofner        | pofner      | pofner     |
| pkorosec      | pkorosec    | pkorosec   |
| morning       | morning     | morning    |

[Reset LiveID Cache] [OK] [Cancel]

**Advanced Settings:** Here you can set your CRM online option, enable your proxy settings and define the credentials etc. (see screenshot below). Return to the CRM Connection tab to save your settings.



**Logon information**

Welcome to your CRM Connection setup.  
Please specify your connection details to connect to CRM. If you do not know the connection details, please contact your system administrator

CRM Connection | **Advanced Settings** | Log

CRM online options:  
 Use Live ID to logon to CRM Online

Specify your proxy settings:

Proxy-Url: (Windows internet settings do not have a Proxy)  
 Enable Proxy  
http:// \_\_\_\_\_

Authenticated to Proxy as:  
 Use default Credential **Not enough information to connect**  
Username: \_\_\_\_\_  
Domain: \_\_\_\_\_  
Password: \_\_\_\_\_

Advanced  
SDK Compatibility Level: undefined

use HomeRealm Discovery  
HomeRealm Server: https:// \_\_\_\_\_

**Log:** Here you have an overview about your logfiles.

Logon information

Welcome to your CRM Connection setup.

Please specify your connection details to connect to CRM. If you do not know the connection details, please contact your system administrator

CRM Connection
Advanced Settings
Log

```

[15:41:25] FINISH CrmOrganisations; MemberRuntime in Seconds : 0,0570005
[15:41:25] finished with System.Collections.Generic.List`1[Microsoft.Xrm.Sdk.Discovery.OrganizationDetail]
[15:41:25] FINISH DiscoverOrganizations; MemberRuntime in Seconds : 0,0219999
[15:41:25] [ComToMSCRM.DiscoverOrganizations] execute request
[15:41:25] [ComToMSCRM.DiscoverOrganizations] start
[15:41:25] start
[15:41:25]
[15:41:24] FINISH ConnectToDiscovery; MemberRuntime in Seconds : 0,0270002
[15:41:24] finished with Microsoft.Xrm.Sdk.Client.DiscoveryServiceProxy
[15:41:24] FINISH CreateDiscoveryService; MemberRuntime in Seconds : 0,024
[15:41:24] FINISH GetDiscoveryProxy(finished with Microsoft.Xrm.Sdk.Client.DiscoveryServiceProxy);
MemberRuntime in Seconds : 0,0210002
[15:41:24] FINISH GetDiscoveryProxy; MemberRuntime in Seconds : 0,018
[15:41:24] create DiscoveryServiceProxy for onPremise
[15:41:24] No principalname has been identified
[15:41:24] create authcredentials
[15:41:24] identified endpoint authentication type ActiveDirectory
[15:41:24] identify endpoint
[15:41:24] Create ServiceManagement
[15:41:24] Link callback
[15:41:24]
[15:41:24] Using on509 servicemanagement based mode
[15:41:24]
[15:41:24] useGetDiscoveryProxy from http://crm2013srv1:5555/Standard/XRMServices/2011/Discovery.svc
[15:41:24] use crm2011 default proxy
[15:41:24]
[15:41:24] create discovery service
[15:41:24] assign certificate handler
[15:41:24] start
[15:41:24] start
[15:41:24] start
[15:41:24] [evaluate credentials] CrmConnection is to onPremise
                    
```

5. Afterwards, click on 'Start Service' and the service starts to run in the background (see screenshot below)

AutoMerge Management (v. 2013.2)

Welcome to the AutoMerge Service Overview

This tool will help you create and manage your merge services



mscrm-addons.com  
AutoMerge for MS CRM 2013

General
Crm Connection Setup
License
Log
Printer

Select your Crm Type

Standard (onPremise)     IFD (Hosted)     Crm Online

CRM Server-Url:  ✓

Authenticated as:

Use default Credential Integrated Security (PTM-EDV\Administrator)


Username:  Domain:  Password:

Organization information:

| Friendly name | Unique name | ServiceURL |
|---------------|-------------|------------|
| mornigg       | mornigg     | mornigg    |
| Standard      | Standard    | Standard   |
| CRM2013       | CRM2013     | CRM2013    |

AutoMergePrinting:Configuration has NOT been saved

To continue go to the new added service called "AutoMergeTest" and switch to the AutoMerge [Printer] Tab:




### 7.3.1.1 AutoMerge Printer Tab Overview

The AutoMerge Printer Tag is available since v5.34. The picture below shows an overview of the printer configurations for CRM:

- [ 1 ] Google CloudPrinting Configuration
- [ 2 ] Local Printer Configuration


Following actions can be done:

- [ 3 ] Manually Reload Printer Configuration
- [ 4 ] Create Printer Configuration
- [ 5 ] Edit Printer Configuration
- [ 6 ] Copy Printer Configuration
- [ 7 ] Delete Printer Configuration



### 7.3.1.2 Local Printer Configuration

The local Printer Configuration supports user defined printer settings, used for local print jobs.



Service Logon: Here you can specify the user that should be running the service on your system. The choice of the user context will influence the setup and behaviour of the printers.

Authentication Types:

- *local system account:*

Running under the local system account requires to setup printers as local printers.

(see: <http://blogs.mscrm-addons.com/post/2012/12/13/Print-settings-for-AutoMerge.aspx>)

**Attention!** A local system account will see only local printers; while you're currently logged on user account will also see network and remote printers.

- *custom account:*

Using a custom account will enable the service to use the printers, as if that user was logged on.

**Note:** If your credentials change, your existing configurations might become invalid or behave differently! It is recommended to check the existing Local Printer Configurations to ensure that they are also compatible with the modified user.

#### 7.3.1.3 Google CloudPrint Configuration

The Google CloudPrint Configuration supports **internet-based print** jobs of AutoMerge, via internet using printers added to a google-account. The document to print is sent to a Google service together with Google CloudPrint Configuration and then forwarded to your chosen Printer.

The advantage of this kind of printer configuration is that it can be used to start print jobs globally.

Before you can use this feature you have to add printers to your google-account.

You can connect any number of printers that you like to Google CloudPrint.

<http://www.google.at/cloudprint/learn/>


Please read detailed and official information about Google CloudPrint before using AutoMerge for creating any Google CloudPrint Printer Configurations and before starting any print job via Google CloudPrint:

<http://www.google.at/cloudprint/learn/>

<https://developers.google.com/cloud-print/>

### 7.3.1.4 Printer Configuration Details and Printer Capabilities

You are able to create and to edit your existing configuration and save it. The picture below displays the Capability Settings of a chosen printer of a Local Printer Configuration. The same scenario could be applied to a Google Cloudprint Configuration.



[ 1 ] Press the reload-button for refreshing the list of available printers.

[ 2 ] Print test .pdf-pages using the displayed configurations to verify your printer settings and its functionality.

[ 3 ] Leaving the printer default enabled will use the printer default at the time of the print process. Please note, that the default value displayed in the drop down section is not necessarily the default value used while printing, as the default value is depending on the user running the service and printer driver setup at the time of printing.

[ 4 ] Unchecking the default option will set the selected value on any print, regardless of the user running the service and printer driver setup at the time of printing.

Example: set Monochrome printing.



**Capability Settings**

Color

Monochrome

Monochrome

Color

Use printer default

4

Other types of capabilities:

Numeric-specified Capabilities (set / type in a number):



Copies

3

Use printer default

Text-specified Capabilities (type in a text):



Print Selection: (e.g. 1-3;4,7), Leave empty to print all

1-3,4,7

Use printer default

**Local Printer Configurations** have a fixed set of Printer Capabilities. The availability depends on the features of the printer itself:

- Color
- Copies
- Duplex
- EvenOddFilter
- Orientation
- PaperSizes
- PaperSources
- PrintSelection
- PrinterResolutions
- Scale

Google CloudPrint Configurations have a varying set of printer capabilities, based on the installed driver. Each Google Cloud printer can have completely different capabilities.

## Create Printer Configuration

For creating a new configuration click on the [New] Button inside the [AutoMerge Printing Tab](#).

This action will open the following dialog where you must type in a Configuration name before going on:

[1] You need to specify a configuration name to be able to create a printer configuration.


[2] Google CloudPrint Mode is enabled per default.

**Note:** Modifying the printer type will discard all changes you have done on the current setting!

[3] Supply your Google account credentials to retrieve the list of available printers for that account.

[4] Click on the drop-down button or open a saved document to print a TestPage

### Google Cloud Printer



### Local Printer



After having configured and started the service for printing, you can start to configure a workflow including the service-based printing option. In the example below, we will highlight how to appropriately add this 'Print to'-step.

### 7.3.1.5 Troubleshooting

| Problem  | Solution   |
|--|--|
| <p>No printers fetched on creating a new configuration in Local Printer Mode.</p>              | <p>Verify that printers are available on:</p> <ul style="list-style-type: none"> <li>• your locally logged in user, if you chose local system account in the General Tab, or on</li> <li>• your custom typed in user, if you chose custom account in the General Tab.</li> </ul> <p>Also try to click the button [Validate] to validate your credentials.</p>  |
| <p>No printers fetched on creating a new configuration in Google CloudPrint Mode.</p>          | <p>Verify your google-credentials and that printers were successfully added to your google-account.</p> <p>You can add printers to your google account by using Google Chrome Browser, but you can also see your added printers if you are simply logged in with your google account online, without using AutoMerge.</p> <p>If you have done everything mentioned before, you should be able to fetch printers via clicking the [Get Printers] button.</p> <p>Detailed information:<br/> <a href="http://www.google.at/cloudprint/learn/">http://www.google.at/cloudprint/learn/</a><br/> <a href="https://developers.google.com/cloud-print/">https://developers.google.com/cloud-print/</a></p>   |
| <p>New added Printer is not available on creating new or edit Local Printer Configuration.</p> | <p>If you have problems with your Local Printer Configuration:</p> <ul style="list-style-type: none"> <li>• Verify that printers are available on your locally logged in user if you chose local system account in the General Tab (Service Logon area).</li> <li>• Verify that printers are available on your custom typed in user if you chose custom account in the General Tab (Service Logon area).</li> </ul> <p>If you added a printer while running AutoMerge try to press the  -Button aside the ComboBox, displaying available printers and verify your available printers again. When everything is done the ComboBox should display available printers. More details about refreshing in chapter Printer Configuration Details and Printer Capabilities.</p> |



... Troubleshooting continued on next page

| Problem  | Solution   |
|--|--|
| <p>New added Printer is not available on creating new or edit Google CloudPrint Configuration.</p> | <p>If you have problems with your Google CloudPrint Configuration:</p> <ul style="list-style-type: none"> <li>• Verify your google-credentials and that printers were successfully added to your google-account. You can do this by using Google Chrome Browser but you can also see your added printers if you are simply logged in with your google account online, without using AutoMerge.</li> </ul> <p>If you have done everything mentioned before, you should be able to fetch printers via clicking the [Get Printers] button.</p> <p>Detailed information:<br/> <a href="http://www.google.at/cloudprint/learn/">http://www.google.at/cloudprint/learn/</a><br/> <a href="https://developers.google.com/cloud-print/">https://developers.google.com/cloud-print/</a></p> |
| <p>Service Configuration cannot be saved after supplying a custom login.</p>                       | <p>Saving is only possible with valid credentials.</p> <p><b>Make sure your user is entered in one of the following formats</b></p> <ul style="list-style-type: none"> <li>• domain\user</li> <li>• user@domain</li> </ul> <p>Make sure, you are still using the same logon, as you did when you created the printer.</p>  |
| <p>My printer is missing capabilities or cannot be loaded anymore when trying to edit</p>          | <p>If the driver has been modified, it might have changed the available capabilities. Either use a different driver or check, if you can find the desired option on the printer configuration of windows. Not all options available on the driver might be accessible for external applications.</p> <p>For more detailed explanation about changing credentials go to Local Printer Configuration.</p>  |


### 7.3.2 How to add a service-based printing step to a workflow or dialog

After creating the local or cloud printers with the *ServiceManagement* they are available for your dialog or workflow. In this chapter we go through the steps needed to use them in the dialog or workflow.


1. Start your CRM. Go to the 'Processes' within the 'Settings'-area. Here, you have the possibility to create a new workflow. See next screenshots:




2. Start to create a workflow and to add the 'CreateDocument'-step. If you would like to add the service based printing step afterwards, click on 'Add Step' (see screenshot, ellipse 1) and chose 'Create Record' from the drop down menu (see screenshot below, ellipse 2).



3. Then, open the drop-down menu within the newly added step and chose ‘**MSCRM-ADDONS.com AutoMergeWorkingItems**’ (see next screenshot).




4. Afterwards, click on ‘Set Properties’. See next screenshot:



A new window opens. Within this window, you can continue to appropriately configure the newly added step. Type in the name of the step (see screenshot below, ellipse 1) and select ‘PrintDocument’ as ‘AutoMergeAction’ (see screenshot below, ellipse 2). Then go to the ‘Print Document’-section and click on the look-up-field next to the ‘Printer’-field and define to which printer the generated document should be send (see screenshot below, ellipse 3):

For more information about how to create a template click [here](#) and watch our YouTube video.

**IMPORTANT:** Before choosing the printer within this step, you have to ensure that the printer has been installed and added appropriately. Furthermore, it is crucial to use the same name a sused during the printer-installation process. For more details, please see [chapter 7.1](#).



MSCRM-ADDONS.com AutoMergeWorkingItems; New MSCR-ADDONS.com AutoMergeWorkingItems - Microsoft Dynamics CRM -- Webpage...

File Save and Close

Process: New Workflow  
**Create MSCR-ADDONS.com AutoMergeWorkingItems**

General

Name \* PrintDocument 1

AutoMergeAction \* PrintDocument 2

Create Document

TemplateToExecute SaveAs

CreatedDocument SaveOnlyIntoTemp  No  Yes

Attach To Letter

LetterToAttache

DocumentGUID\_Le...

Attach To Email

EmailToAttache

DocumentGUID\_E...

Send Email

EmailToSend

Print Document

Printer 3

PrintTo XPS (deprecated)

Delete Temp Document

DocumentGUID\_D... Delete Temp for CreateDocument-step  No  Yes

Return Value

ReturnValue

Form Assistant

Dynamic Values

Operator: Set to

Look for: Account

Add


Default value:

OK

5. Finish to configure the service-based printing step by adding the 'PrimaryRecordURL'. To do so, you have to select 'CreateDocument:OutputDocumentRef' from the first drop-down menu of the 'Look for'-area within the form assistant on the right (see screenshot, ellipse 1). Afterwards, select 'RecordURL(Dynamic)' from the drop-down menu below (see screenshot, ellipse 2).

Then, click on 'Add' (see screenshot, ellipse 3) and on 'OK' (see screenshot, ellipse 4). Afterwards, the 'PrimaryRecordURL'-field is automatically filled (see screenshot, ellipse 5). Click 'Save and Close'. Now you have appropriately added the service-based printing step.

**NOTE:** If there is already a printer name specified within the 'PrintTo'-field in the 'Create Document'-section, you have to delete this name to avoid double printing (see screenshot, ellipse 6).




Screenshot: add PrimaryRecordURL

### Exception 1: Adding the service-based printing step to already existing workflows

If you would like to add the service-based printing step to an existing workflow which includes a plug-in based printing step, you need to do the following:

Chose the workflow which you would like to modify and deactivate it. Then, double-click on it and open the 'CreateDocument'-step by clicking on 'Set Properties' (see next screenshot, ellipse 1). A new window will open. Within this window, delete the printer-name (see next screenshot, ellipse 2) and click on 'Save and Close'.




After having deleted the plug-in based printer step, you can add the service-based printer step directly after the already existing 'Create Document'-step of the workflow. To do so, please follow the steps in the 'How to add the service-based printing step to a workflow'-section above.

### Exception 2: Adding the service-based printing step to workflows including a 'Delete Document'-step



If you would like to add the service-based printing step to a workflow which includes a 'Delete Document'-step it is important to know that the service is only checking every 90 seconds if there are generated documents to be printed.

In the worst case, documents are generated and deleted within this 90 seconds and the service is not able to print the documents, because they have been already deleted. To avoid this, it is important to include a 'Wait'-condition before the 'Delete Document'-step in your workflow. To do so, follow the steps below:

1. Click on 'Add Step' (see screenshot, ellipse 1) and chose 'Wait Condition' from the drop down menu (see next screenshot, ellipse 2)



2. Click on 'condition (click to configure)' within the newly added wait condition (see next screenshot, ellipse 1). A new window opens. Within this new window, you have to specify the wait condition. Chose 'Print Document (MSCRM-ADDONS.com AutoMergeWorkingItem)' from the first drop down menu, 'Status' from the second, 'Equals' from the third and 'Inactive' from the fourth drop down menu (see screenshot, ellipse 2).



The condition now causes that generated documents are only deleted if they have been already printed. Afterwards click on 'Save and Close' to complete this workflow step (see screenshot, ellipse 3).

## 8 Examples




In this section you can find two AutoMerge examples.

### 8.1 Scenario 1: Workflow

In the first scenario we want to use AutoMerge to achieve the following: For each newly created contact we want to create a welcome letter and attach it to a CRM letter-activity. **This Scenario only works with On-Premise. For CRM online examples, please read [chapter 3.2 "Workflow CRM online"](#)**


**INFO:** This example workflow can be downloaded here: <http://mscrm-addons.com/LinkClick.aspx?fileticket=PDO9Ke3QM8A%3d&tabid=176&mid=830>

To achieve this, we have to create a new workflow. Within CRM we navigate to "Settings" -> "Processes" and hit [New]. See screenshot below:



Click on [New] to create a new process. See screenshot above.

Thereupon, the following dialog will appear:



**Create Process**  
Define a new process, or create one from an existing template. You can create four kinds of processes: business process flows, actions, dialogs, and workflows.

Process name: \* Generate and attach Welcome letter to letter activity

Category: \* Workflow Entity: \* Contact

Run this workflow in the background (recommended)

Type:  New blank process  
 New process from an existing template (select from list):

| Template Name ↑                                 | Primary Entity |
|---|----------------|
| No process template records are available in th |                |

0 - 0 of 0 (0 selected) Page 1

Properties


OK Cancel

http://crm2013srv1:5555/Sta ✓ Trusted sites | Protected Mode: Off


We type in a name of the new process ("Generate and attach Welcome letter to letter activity"), select the "contact" entity and choose the "Workflow" category. Furthermore, we leave the default setting "New blank process".

We hit [OK] to proceed.


Then the following window will open:



Due to the fact that we want to create a welcome letter for every new contact we have to choose "Record is created" as starting option. Then we add a new "CreateDocument"-step to the workflow. See next screenshot:



We type in the name "Generate welcome letter" and hit [Set Properties] to define them. Thereupon, a new dialog will appear:



Process: Generate and attach Welcome letter to letter activity  
 Working on solution: Default Solution

**Set Custom Step Input Properties**

| Property Name     | Data Type           | Value   |
|-------------------|---------------------|---|
| DebugThisRequest  | Two Options         | <input checked="" type="radio"/> False <input type="radio"/> True                 |
| TemplateToExecute | Lookup              |  |
| SaveAs            | Single Line of Text | docx  |
| PrintTo           | Single Line of Text |   |
| SaveOnlyIntoTemp  | Two Options         | <input checked="" type="radio"/> False <input type="radio"/> True                 |

**Form Assistant**

Dynamic Values

Operator: Set to

Look for: Contact

Add

Default value:


OK

http://crm2013srv1:5555/Standard/SFA/Workflow/customactivityform.aspx? Trusted sites | Protected Mode: Off

- **DebugThisRequest:** We set this property to “False” because we do not need any log files.
- **TemplateToExecute:** Here, we select the “WelcomeLetter.docx” template.
- **SaveAs:** The generated document should be stored as .pdf. To achieve this, we have to fill in “pdf”.
- **PrintTo:** we don’t want to print the generated document. Therefore, we leave this field empty.
- **SaveOnlyIntoTemp:** We set this option box to “True”, because first we only want to save the template locally and then we want it to be attached to the letter. There is no need to additionally save it on a file share or SharePoint.

Then click [Save and Close].

Next, we want to create a letter to which the generated document will be attached later. To achieve this, we add the standard workflow step "Create Record" to the workflow. We type in the name "Create Letter", choose "letter" in the drop down box and hit the "Set Properties"-button.




We select any user as sender.

The "Recipient" should be the newly created contact. This can be achieved by using the "Form Assistant" at the right side of the window: First, we place the cursor in the "Recipient" field. Then, we select the "Contact" entity and its "Contact" field. Afterwards, we hit [Add] and [OK] to include it. The "Regarding" field is set automatically.

We hit [Save and Close] to proceed.


Next, we have to attach the generated document to the created letter. This can be done by using the "AttachToLetter" request of the AutoMerge steps. We add this step, type in the name "Attach Document To Letter" and hit [Set Properties] again. Thereupon, the following dialog will appear:



Within this dialog, we define the values of the following properties:

- **DebugThisRequest:** We set this property to “False” because we do not need any log files.
- **LetterToAttach:** Here we have to refer to the before created letter. We do this by using the “Form Assistant” again. First, we set the cursor in the field of the property. Then, we select “Create Letter (Letter)” of the “Local Values” like shown in the screenshot above. Then, we hit [Add] and [OK].
- **DocumentGUID:** Here we have to refer to the document generated before. This can be achieved similarly to the “LetterToAttach” property. But in this case we select “Generate welcome letter:OutputDocumentRef (MSCRM-ADDONS.com User/Temp Settings)” and hit [Add] and [Ok].


Then, the dialog will look like this:



We complete our adjustment by pressing [Save and Close].

The final part of our workflow is to delete the temporary document again, because it is already attached to the letter and we don't need it any more. For that, we add the "DeleteTempDocument" step at the end of the workflow. We type in the name "Delete Temp Document" and hit [Set Properties].

Then, the following window will open:




Here we only have to set two properties.

- **DebugThisRequest:** We set this property to "False" because we do not need any log files.
- **DocumentGUID:** Here we have to refer to the document generated before. To achieve this we do the following: Set the cursor into the value field. Then we select "Generate welcome letter:OutputDocumentRef (MSCRM-ADDONS.com User/Temp Settings)" from the "Form Assistant" and hit [Add] and [Ok].


Then, after all properties have been set correctly, we hit [Save and Close].

The finished workflow will look like this:




After hitting [Activate] the workflow will be enabled and we can try it out.

To do this, we create a new contact and navigate to "Workflows". After a short duration we are able to find our configured workflow there (shown in the screenshot below).



Under "Activities", we can find the created letter:



We open it and navigate to the "Notes"-section where we can find the attached welcome letter.

We can open it by clicking on it. The letter will look like this

James Elliott  
PTM EDV-Systeme GmbH  
Bahnhofgürtel 59  
8020 Graz  
Austria

Dear Mr. Patrick Ofner,

PTM EDV-Systeme GmbH would like to welcome you as a new customer to our company. It is a great pleasure for us.

We like to let our customers know that they are very important and therefore it is crucial to us that our customers are 100% satisfied.

We are proud of the fact that we can offer our customers quick and competent services. If you have any problems or questions regarding our products, please do not hesitate to contact us.

We can be contacted in the following ways:

*Phone: 0043 316 680 880*  
*Email: [support@mscrm-addons.com](mailto:support@mscrm-addons.com)*

Sincerely,

James Elliott  
Support staff

Now the letter is ready to send.

## 8.2 Scenario 2: Dialog

In this second scenario we want to use AutoMerge to achieve the following: After the user has chosen or opened a quote he should have the possibility to select a template for the merge process. Further on he should also be able to define the file extension of the generated document and if the document should be attached to an email or letter. If the user chooses attach it to a letter, he should have the possibility to define whether he wants to print the letter or not.


If the user chooses "attach to email" it should be sent automatically.

**This scenario only works with On-Premise. This Scenario only works with On-Premise. For CRM online examples, please read [chapter 3.2 "Workflow CRM online"](#)**

We put this into practise by using the AutoMerge functionality inside a CRM dialog.

**INFO:** This example dialog can be downloaded here: <http://mscrm-addons.com/LinkClick.aspx?fileticket=UYKRSDIYho0%3d&tabid=176&mid=830>


Within CRM, we navigate to "Settings" -> "Processes" and hit [New].



In the popped up window we type in a name of the process ("Generate Standard Quote"), select "Quote" as entity and choose the "Dialog" category.


We hit [Ok] to continue.

The following window will open:




### 8.2.1 Part 1: User Interaction

First, the user should be able to select a template from a pick list. Therefore, we add the "Query Crm Data"-step to our dialog. We define the name "Retrieve Standard Templates" and hit [Set Properties].




We use the popped up window to define a query. It will retrieve all templates of the type "quote" starting with "Standard\_Quote\_" of the "DocumentsCorePack Templates"-entity. We hit [Save and Close] to proceed.

Next, we add a new page to the dialog and type in the name "Quote Templates". Underneath, we include a new "Prompt and Response" with the name "Which Template do you want?"




To define its properties we hit [Set Properties]:




We define "Please choose a template" as "Prompt Text" and set the "Response Type" to "Option Set (picklist)". We check "Query CRM data" then select "Retrieve Standard Templates" and use the "Name"-column.

We hit [Save and Close] to continue.

Next, we want to give the user the possibility to select the file extension of the generated document. Because of that, we add a further "Page" to our dialog and name it "File Types". Same as above, we add a "Prompt and Response"-step to it. We name it "What file type do you want?".



We click on [Set Properties] to set them up.



The "Prompt Text" should be "Please choose a file type." As "Response Type" we choose "Option Set (picklist)" again. But in this case we check "Define Value" and add "docx", "pdf", epub" and "html" as "Response Values". This can be achieved by clicking on the green cross.

We hit [Save and Close] to proceed.

The final part is to provide the user the possibility to select if he wants to attach the generated document to an email, to a letter or to a letter and print it out.


For that we add a further "Page" to the dialog and name it "Actions". Underneath, we add a "Prompt and Response"-step as well. We give it the name "What do you want to do with the document?"



### 8.2.2 Part 2: AutoMerge steps

Next, we add a "Check Condition"-step with the name "Print or not". We use it to decide if the document should only be generated or if it should be printed as well.

To define it, we click on the condition itself:




We select the "What do you want to do with the document?" prompt and response, created before. Next, we choose its "Response Value" and define that it has to "Equals" "AttachToLetterAndPrint".

We complete the condition by clicking [Save and Close].

#### 8.2.2.1 Part 2.1: Generate and print

If this condition is true we want to generate and print the document and attach it to a new letter. Therefore, we add the "GenerateDocument"-step of the AutoMerge functionalities to it underneath. We name it "Generate and print document" and hit [Set Properties].




This window allows us to define the following properties:

- **DebugThisRequest:** We set this property to "False" because we do not need any log files.
- **TemplateToExecute:** Here we have to refer to the template chosen from the user before. To achieve this, we put the cursor into the field and use the "Form Assistant" on the right side of the window. We select the "Which Template do you want? (DocumentsCorePack Template)"-prompt and response as shown in the screenshot above. Then we select "DocumentsCorePack Template" hit [Add] and [Ok].
- **SaveAs:** Here we have to refer to the selected file type. This works the same way as for the property above, except that we select "What file type do you want?" and "Response Value".
- **PrintTo:** We are using this property to define the path of a network printer. In this case "\\tilsiter\HP LaserJet P2015 Series PCL 6".
- **SaveOnlyIntoTemp:** We set this property to "True".


We hit [Save and Close] to proceed.

Underneath, we add a "Create Record"-step. We select "letter", name it "Create letter1" and define its properties:


 The screenshot shows the 'Create Letter' form in Microsoft Dynamics CRM. The form is titled 'Letter: New - Microsoft Dynamics CRM -- Webseitendialog'. The main area contains fields for 'Sender', 'Recipient', 'Address', 'Direction' (Incoming/Outgoing), 'Subject', 'Regarding', 'Owner', 'Duration', 'Priority', 'Due', 'Category', and 'Sub-Category'. The 'Subject' field contains the text 'Quotationletter of {Name(Quote)}'. The 'Regarding' field contains '{Quote(Quote)}'. The 'Form Assistant' is open on the right side, showing a list of dynamic values. The 'Operator' is set to 'Set to', the 'Look for' is 'Quote', and the 'Name' is 'Name(Quote)'. The 'Add' button is visible below the list. The 'Default value' field is empty. The 'OK' button is at the bottom of the Form Assistant. The status bar at the bottom shows the URL 'http://crm2011r6-de:5555/pofner/SFA/W' and the text 'Lokales Intranet | Geschützter Modus: Inaktiv'.

We define its "Subject" using the "Form Assistant".  
 The "Regarding"-field is set automatically.  
 We hit [Save and Close] to continue.

Afterwards, we have to attach the before generated document to this letter. Therefore, we add an "AttachToLetter"-step, name it "Attach letter1" and define the properties as shown underneath:




Properties:

- **DebugThisRequest:** We set this property to "False" because we do not need any log files.
- **LetterToAttach:** We refer to the before created letter using the "Form Assistant" ("Create letter1 (Letter)" and "Letter")
- **DocumentGUID:** Here we have to link to the generated document. We use the "Form Assistant" again and select "Generate and print document: OutputDocumentRef (MSCRM-ADDONS.com User/Temp Settings)" and "MSCRM-ADDONS.com User/Temp Settings".

We save and close the window.

At the end of this condition branch we have to delete the generated document stored in the "MSCRM-ADDONS.com User/Temp"-entity.

To achieve this, we add the "DeleteTempDocument"-step, give it the name "Remove document1" and define its properties as follows:



We use the "DocumentGUID"-property to refer to the generated document. For that, we select "Generate and print document: OutputDocumentRef (MSCRM-ADDONS.com User/Temp Settings)" and "MSCRM-ADDONS.com User/Temp Settings".

#### 8.2.2.2 Part 2.2: Generate only


Next, we have to focus the else branch of the condition. It will be executed if the user has selected "AttachToEmail" or "AttachToLetter".

First, we have to add the "Default Action"-step (else branch) to create the if condition.

Then, we add a new "CreateDocument"-step with the name "Generate document only" to the else branch. We define the properties same as in the if branch before, except that we leave the "PrintTo"-property empty because we only want to create the document.

Next, we have to add a further condition to this else branch. If the user has chosen "AttachToEmail" we have to use an email, otherwise ("AttachToLetter") we have to use a letter.


This can be done by adding a new "Check Condition"-step to the dialog. We name it "Email or Letter" and define it as follows:



If the value of "What do you want to do with the document?" is "AttachToEmail" the condition is true, otherwise false.


8.2.2.3 Part 2.3: Attach to Email

In the true branch of this condition we create an email by using the "Create Record"-step. We type in the name "Create Email" and define it as shown underneath:



We use any user as sender and the "Potential Customer" as recipient. The "Regarding"-field is set by default.

The next step is to attach the created document to this email. This can be achieved by using the "AttachToEmail" step. We name it "Attach to Email" and adjust its properties.




Properties:

- **DebugThisRequest:** We set this property to "False" because we do not need any log files.
- **LetterToAttach:** We refer to the before created email using the "Form Assistant" ("Create (Email)" and "E-mail Message").
- **DocumentGUID:** Here we have to link to the generated document. We use the "Form Assistant" again and select "Generate document only: OutputDocumentRef (MSCRM-ADDONS.com User/Temp Settings)" and "MSCRM-ADDONS.com User/Temp Settings".

**Important:** If the file type of the generated document is "html" this step will copy its content into the email body. Otherwise, the generated document will be added as attachment to the email.

At this time, the email is ready for sending. We'll use the "SendEmail"-step to do this. We name it "Send Email" and define its properties like this:



Properties:

- **DebugThisRequest:** We set this property to "False" because we do not need any log files.
- **EmailToSend:** We refer to the before created email using the "Form Assistant" ("Create (Email)" and "E-mail Message").


#### 8.2.2.4 Part 2.4: Attach to Letter

Now we have finished the if branch and focus the otherwise way. It will be executed if the user has chosen "AttachToLetter". Here we want to create a letter and attach the generated document to it.


To do this we have to add the "Default Action"-step (else branch) to this condition.

To this else branch we add the following two steps:

"Create Record"-step of the entity "Letter" with the name "Create letter2". We define its properties as shown underneath:




And we add the "AttachToLetter"-step with the name "Attach to letter2" to it. We define its properties as follows (same as in the first "AttachToLetter"-step, except that we select "Create letter2 (Letter)" for "LetterToAttach" and "Generate document only): OutputDocumentRef (MSCRM-ADDONS.com User/Temp Settings)" for "DocumentGUID"):



| Property Name    | Data Type   | Value   |
|------------------|-------------|---|
| DebugThisRequest | Two Options | <input checked="" type="radio"/> False <input type="radio"/> True |
| LetterToAttache  | Lookup      | {Letter(Create letter2 (Letter))}                                 |
| DocumentGUID     | Lookup      | {MSCRM-ADDONS.com User/Temp Settings(Generate document c...       |

At this point the document is created and attached to an email or a letter. At the end, we can delete the temporary document again.

Therefore, we add the "DeleteTempDocument"-step outside of the if condition to our dialog. The reason for that is that we want to delete the document in any case ("AttachToEmail" or "AttachToLetter"). We name it "Remove document 2" and define its properties as shown below:




Properties:

- **DebugThisRequest:** We set this property to "False" because we do not need any log files.
- **DocumentGUID:** Here we have to link to the generated document. We use the "Form Assistant" again and select "Generate document only: OutputDocumentRef (MSCRM-ADDONS.com User/Temp Settings)" and "MSCRM-ADDONS.com User/Temp Settings".

Now we are finished.

After the dialog has been activated, it can be used.

### 8.2.3 Result Dialog



The screenshot displays the 'Steps' configuration for a workflow. The steps are organized into several sections:

- Retrieve Standard Templates**
  - Query: Set Properties
  - Page: Quote Templates
    - Which Template do you want?
      - Prompt and Response: Set Properties
      - Prompt: Please choose a template.
      - Response: Name
  - Page: File Types
    - What file type do you want?
      - Prompt and Response: Set Properties
      - Prompt: Please choose a file type.
      - Response: docx, pdf, epub, html
  - Page: Actions
    - What do you want to do with the document?
      - Prompt and Response: Set Properties
      - Prompt: Please choose an action.
      - Response: AttachToEmail, AttachToLetter, AttachToLetterAndPrint
- Print or not**
  - If **What do you want to do with the document?-Response Value equals [AttachToLetterAndPrint]**, then:
    - Generate and print document
      - AutoMergeWF:CreateDocument Set Properties
    - Create letter1
      - Create: Letter Set Properties
    - Attach letter1
      - AutoMergeWF:AttachToLetter Set Properties
    - Remove document1
      - AutoMergeWF>DeleteTempDocument Set Properties
  - Otherwise:
    - Generate document only
      - AutoMergeWF:CreateDocument Set Properties
    - Email or Letter
      - If **What do you want to do with the document?-Response Value equals [AttachToEmail]**, then:
        - Create Email
          - Create: E-mail Set Properties
        - Attach to Email
          - AutoMergeWF:AttachToEmail Set Properties
        - Send Email
          - AutoMergeWF:SendEmail Set Properties
      - Otherwise:
        - Create letter2
          - Create: Letter Set Properties
        - Attach to letter2
          - AutoMergeWF:AttachToLetter Set Properties
        - Remove document2
          - AutoMergeWF>DeleteTempDocument Set Properties

Part 1: User Interaction

Part 2: AutoMerge steps

Part 2.1: Generate and print


Part 2.2: Generate only

Part 2.2.1: Attach to Email


Part 2.2.2: Attach to Letter


## 8.2.4 Test Dialog

To start our dialog, we open a quote and hit "Background Processes" in the ribbon.




Thereupon, we choose our dialog and hit [Ok]:







First, we can choose between all standard templates. We choose "Standard\_Quote\_English.docx" and hit [Next].



In this window we have the possibility to select the file type. We choose "pdf" and hit [Next] to continue.




Then we can define what should happen with the generated document. We select "AttachToEmail" and hit [Next] to proceed.




After a short time, this window will pop up and let us know that the dialog has ended. We hit [Finish] to close it.

Then, we navigate to the "Closed Activities"-area of this quote. There we can find the Email:



In the "Attachment"-area we can see the generated document stored as pdf.



Demo-Company Inc., 1234-Demo Road



**PTM EDV-Systeme**

**To: Mr. James Elliott**

**Bahnhofgürtel 59, Graz8020 - Austria**

Dear Mr. James Elliott,

Thanks for the interest in our products. Regarding your request per e-mail from 3/30/2012, we can offer you the following:

| No.                                 | Product Name                        | Price  | Qty. | Amount            |
|-------------------------------------|-------------------------------------|--------|------|-------------------|
| <b>Default Subject</b>              |                                     |        |      |                   |
| 5454654<br>6546                     | <b>Documents Core Pack CRM 2011</b> | €56.00 | 20   | €1,120.00         |
| <b>Group Default Subject total:</b> |                                     |        |      | <b>1.120,00 €</b> |

**Total: €1,120.00**

This quote is valid for XX days from today.

**Terms and conditions conditions:**

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet.

Consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, n sea takimata sanctus est Lorem ipsum dolor sit amet.

**Payment conditions:**

Normally you have to buy at our online-shop and to pay in advance with Paypal, MasterCard, VisaCard or American Express.

If you prefer to pay by bank transfer, this is also possible, but we cannot forward the software-activation-key until the payment arrives in our account.


## 9 How to activate debugging for AutoMerge

This article describes how to activate debugging for AutoMerge for Microsoft Dynamics CRM 2013. Basically, there are two possibilities to enable debugging.


- **Solution 1:** Activate file debugging by using the AutoMerge configuration (Recommended).
- **Solution 2:** Activate debugging by using the AutoMerge configuration.

### Solution 1

Navigate to "Settings" -> "Solutions" and double-click "AutoMergeServerCore".



In the AutoMerge Config check "Active Debugging" and "Active File Debugging". Click "Save" to finish.





File-debugging is now active and the logfiles will be saved in the "log"-folder in your AutoMerge installation-folder.

Navigate to the installation-path of AutoMerge and send the files in the "log"-folder with an error description to our support address (support@mscrm-addons.com).


Example: C:\Program Files (x86)\PTM EDV-Systeme GmbH\AutoMerge for Microsoft CRM 2011\log

**Solution 2**

Within your CRM, navigate to "Settings" -> "Solutions" and double-click on the "AutoMergeServer"-solution. (See next screenshot)



After that, the configuration page of AutoMerge opens. (see screenshot below)



| General   | About AutoMerge                            | Licensing |
|---|--|-----------|
| Active Debugging                                | <input checked="" type="checkbox"/>        |           |
| Active File Debugging                           | <input checked="" type="checkbox"/>        |           |
| SPS User  | <input type="text" value="administrator"/> |           |
| SPS Password                                    | <input type="password" value="....."/>     |           |
| SPS Domain                                      | <input type="text" value="crmtest"/>       |           |
| SP Webservice Url                               | <input type="text" value="no"/>            |           |
| CRM User Name                                   | <input type="text" value="administrator"/> |           |
| CRM User Password                               | <input type="password" value="....."/>     |           |
| CRM User Domain                                 | <input type="text" value="crmtest"/>       |           |
| Is IFD  | <input type="checkbox"/>                   |           |
| Auth AD FS<br>(https://sts1.contoso.com)        | <input type="text"/>                       |           |
| IFD Auth Endpoint<br>(https://auth.contoso.com) | <input type="text"/>                       |           |
| IFD Org<br>(https://org.contoso.com)            | <input type="text"/>                       |           |
| <input type="button" value="Save"/>             |  |           |

Check "Activate Debugging" and click on "Save".  
From now on, debugging is activated.

## 10 Contact

If you have questions to the product send an Email to

[support@mscrm-addons.com](mailto:support@mscrm-addons.com)

or visit our blog

<http://blogs.mscrm-addons.com>

PTM EDV-Systeme GmbH  
Bahnhofgürtel 59  
A-8020 Graz, Austria

Tel US +1 404.720.6066  
Tel Austria +43 316 680-880-0  
Fax +43 316 680-880-25  
[www.ptm-edv.at](http://www.ptm-edv.at)  
[www.mscrm-addons.com](http://www.mscrm-addons.com)